

**AMENDED CLAIMS**

7. (Twice amended) The method of claim 3, wherein the jasmonate-related compound is at least one compound selected from the group consisting of jasmonic acid and dihydrojasmonic acid.

15. (Amended) The method of claim 14, wherein the ethylene-biosynthesis antagonist is a compound which inhibits aminocyclopropane carboxylic acid (ACC) synthase, ACC oxidase, or ethylene oxidase.

32. (Twice amended) The method of claim 1 or claim 30, wherein the one or more nutrient media further comprise an auxin-related growth regulator selected from the group consisting of 1-Naphthaleneacetic acid, 2-Naphthaleneacetic acid, 1-Naphthaleneacetamide/Naphthylacetamide, N-(1-Naphthyl)phthalamic acid, 1-Naphthoxyacetic acid, 2-Naphthoxyacetic acid, beta-Naphthoxyacetic acid, 1-Naphthoxyacetamide,, 3-Chlorophenoxyacetic acid, 4-Chlorophenoxyacetic acid, 4-Iodophenoxyacetic acid, Indoleacetamide, Indoleacetic acid , Indoylacetate, Indoleacetyl leucine, Gamma-(3-Indole)butyric acid, 4-Amino-3,5,6-trichloropicolinic acid, 4-Amino-3,5,6-trichloropicolinic acid methyl ester, 3,6-Dichloro-o-anisic acid, 3,7-Dichloro-8-quinolinecarboxylic acid, Phenylacetic acid, 2-Iodophenylacetic acid, 3-Iodophenylacetic acid, 2-Methoxyphenylacetic acid, Chlorpropham (m-chlorocarbanilic acid isopropyl ester), 4-chloroindole-3-acetic acid, 5-Chloroindole-3-acetic acid, 5-Bromo-4-chloro-3-indoyl butyrate, Indoleacetyl phenylalanine, Indoleacetyl glycine, Indoleacetyl alanine, 4-chloroindole, p-chlorophenoxyisobutyric acid, 1-pyrenoxylbenzoic acid, Lysophosphatidic acid, 1-naphthyl-N-methylcarbamate, Ethyl-5-chloro-1H-Indazole-3-ylacetate-3-Indolebutanoic acid, Naphthalene-2,6-dicarboxylic acid, Naphthalene-1,4,5,8-tetracarboxylic acid dianhydride, Naphathalene-2-sulfonamide, 4-Amino-3,6-disulfo-1,8-naphthalic anhydride, 3,5-dimethylphenoxyacetic acid, 1,8-Naphthalimide, 2,4-Dichlorophenoxyacetic acid, 2,3-Dichlorophenoxyacetic acid, 2,3,5-Trichlorophenoxyacetic acid, 2-Methyl-4-chlorophenoxyacetic acid, Nitrophenoxyacetic acids, DL-alpha-(2,4-Dichlorophenoxy)propionic acid, D-alpha-(2,4-Dichlorophenoxy)propionic acid, 4-Bromophenoxyacetic acid, 4-Fluorophenoxyacetic acid, 2-Hydroxyphenoxyacetic acid, 5-

Chloroindole, 6-Chloro-3-indoylacetate, 5-Fluoroindole, 5-Chloroindole-2-carboxylic acid, 3-Chloroindole-2-carboxylic acid, Indole-3-pyruvic acid, 5-Bromo-4-chloro-3-indoylbutyrate, 6-Chloro-3-indoylbutyrate, Quinoline-2-thioglycolic acid, Aminophenylacetic acids, 3-Nitrophenylacetic acid, 3-Chloro-4-hydroxybenzoic acid, Chlorflurenol (2-chloro-9-hydroxyfluorene-9-carboxylic acid), 6-Chloro-3-indoyl acetate, N-(6-aminohexyl)-5-chloro-1-Naphthalenesulfonamide hydrochloride, 2-chloro-3(2,3-dichloro-phenyl) propionitrile, o-chlorophenoxyacetic acid, 6,7-dimethoxy-1,2-benzisoxazole-3-acetic acid, 3-oxo-1,2-benzisothiazoline-2-ylacetic acid, Mastoparan (insect venom tetradeca peptide), 2,3,5-Triidobenzoic acid, 2-(3-chlorophenoxy)propanoic acid, Mecoprop (2-(4-chloro-2methylphenoxy)-proanoic acid), Naphthoic acid hydrazide, 2,4-Dibromophenoxyacetic acid, 3-Trifluoromethylphenoxyacetic acid, Oxindole, Indole-2-carboxylic acid, Indole-3-lactic acid, Beta-(3-Indole)propionic acid, 2-Bromophenylacetic acid, 3-Bromophenylacetic acid, 2-Chlorophenylacetic acid, 3-Chlorophenylacetic acid, 2-Methylphenylacetic acid, 3-Methylphenylacetic acid, 3-Trifluoromethylphenylacetic acid, 3-Methylthiophenylacetic acid, Phenylpropionic acid, 4-chloro-2-methylphenylthioacetic acid, 2-Chlorobenzoic acid, 3-Chlorobenzoic acid, 2,3-Dichlorobenzoic acid, 3,4-Dichlorobenzoic acid, 2,3,5-Trichlorobenzoic acid, 2,4,6-Trichlorobenzoic acid, 2-Benzothiazoleoxyacetic acid, 2-Chloro-3-(2,3-dichlorophenyl)propionitrile, 2,4-Diamino-s-triazine, Naphthalic anhydride, Dikegulac, chlorflurecolmethyl ester, 2-(p-chlorophenoxy)-2-methylpropionic acid, 2-chloro-9-hydroxyfluorene-9-carboxylic acid, 2,4,6-trichlorophenoxyacetic acid, 2-(p-chlorophenoxy)-2-methyl propionic acid, Ethyl 4-(chloro-o-tolyloxy)butyrate, [N-(1,3-dimethyl-1H-Pyrazol-5-yl)-2-(3,5,6-Trichloro-2-pyridinyl)oxy]acetamide, 4-Chloro-2-oxobenzothiazolin-3-yl-acetic acid, 2-(2,4-Dichlorophenoxy)propanoic acid, 2-(2,4,5-Trichlorophenoxy) propanoic acid, 4-Fluorophenylacetic acid, 3-Hydroxyphenylacetic acid, Orthonil, 3,4,5-Trimethoxycinnamic acid, 2(3,4-dichlorophenoxy)triethylamine, Indole-3-propionic acid, Sodium Ioxynil, 2-Benzothiazoleacetic acid, and (3-phenyl-1,2,4-thiadiazol-5-yl)thioacetic acid.

47. (thrice amended) The method of claim 43, wherein the first medium contains a saccharide in the concentration of 1 – 30 g/L, and nitrate ion in the concentration of 2.5 – 70 mM; and the second medium contains a saccharide in the concentration of 4 – 150 g/L, and nitrate ion in the concentration of 0.3 – 18 mM.

50. (Twice amended) The method of claim 1 or claim 30, wherein the medium which induces taxane production is replenished during cultivation by periodically replenishing nutrient medium components and removing spent medium.

66. (Twice amended) The method of claim 3, wherein the cells are cultured in media containing a saccharide in a concentration of 1 – 150 g/L, nitrate ion in a concentration of 0.3 – 70 mM or a combination thereof.

68. (Twice amended) A method for producing one or more taxanes in high yields in cell culture of a *Taxus* species comprising: cultivating in suspension culture, in one or more nutrient media under growth and product formation conditions, cells of a *Taxus* species derived from callus or suspension cultures, and recovering said one or more taxanes from said cells, said medium of said cell culture, or both, wherein at least one of the one or more nutrient media comprises a polyamine.

69. (thrice amended) The method of claim 68, wherein said polyamine is added to at least one of the one or more nutrient media.